

Vulkan.

Getting Information Back from the Graphics System

Oregon State University
Mike Bailey
mjb@cs.oregonstate.edu

This work is licensed under a [Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License](#)

Oregon State University Computer Graphics

GettingInfoBack.pptx mjb – December 26, 2022

Setting up Query Pools

- There are 3 types of Queries: Occlusion, Pipeline Statistics, and Timestamp
- Vulkan requires you to first setup "Query Pools", one for each specific type
- This indicates that Vulkan thinks that Queries are time-consuming (relatively) to setup, and thus better to set them up in program-setup than in program-runtime

Oregon State University Computer Graphics

mjb – December 26, 2022

Setting up Query Pools

```

VkQueryPoolCreateInfo
{
    vkpqi;
    vkpqi.sType = VK_STRUCTURE_TYPE_QUERY_POOL_CREATE_INFO;
    vkpqi.pNext = nullptr;
    vkpqi.flags = 0;
    vkpqi.queryType = << one of: >>;
        VK_QUERY_TYPE_OCLCLUSION
        VK_QUERY_TYPE_PIPELINE_STATISTICS
        VK_QUERY_TYPE_TIMESTAMP
    vkpqi.createQueryCount = 1;
    vkpqi.pipelineStatistics = 0;
        bitmask of what stats you are querying for if you
        are doing a pipeline statistics query
    VK_QUERY_PIPELINE_STATISTIC_INPUT_ASSEMBLY_PRIMITIVES_BIT
    VK_QUERY_PIPELINE_STATISTIC_INPUT_VERTEX_SHADER_INVOCATIONS_BIT
    VK_QUERY_PIPELINE_STATISTIC_GEOMETRY_SHADER_INVOCATIONS_BIT
    VK_QUERY_PIPELINE_STATISTIC_FRAGMENT_SHADER_PATCHES_BIT
    VK_QUERY_PIPELINE_STATISTIC_CLIPPING_INVOCATIONS_BIT
    VK_QUERY_PIPELINE_STATISTIC_CLIPPING_PRIMITIVES_BIT
    VK_QUERY_PIPELINE_STATISTIC_FRAGMENT_SHADER_INVOCATIONS_BIT
    VK_QUERY_PIPELINE_STATISTIC_TESSELLATION_EVALUATION_SHADER_PATCHES_BIT
    VK_QUERY_PIPELINE_STATISTIC_TESSELLATION_EVALUATION_SHADER_INVOCATIONS_BIT
    VK_QUERY_PIPELINE_STATISTIC_COMPUTE_SHADER_INVOCATIONS_BIT

    VkQueryPool occlusionQueryPool;
    result = vkCreateQueryPool( LogicalDevice, IN &vkpqi, PALLOCATOR, OUT &occlusionQueryPool );

    VkQueryPool statisticsQueryPool;
    result = vkCreateQueryPool( LogicalDevice, IN &vkpqi, PALLOCATOR, OUT &statisticsQueryPool );

    VkQueryPool timestampQueryPool;
    result = vkCreateQueryPool( LogicalDevice, IN &vkpqi, PALLOCATOR, OUT &timestampQueryPool );
}

```

3

Resetting, Filling, and Examining a Query Pool

```

vkCmdResetQueryPool( CommandBuffer, occlusionQueryPool, 0, 1 );
vkCmdBeginQuery( CommandBuffer, occlusionQueryPool, 0, VK_QUERY_CONTROL_PRECISE_BIT );
    ...
vkCmdEndQuery( CommandBuffer, occlusionQueryPool, 0 );

```

#define DATASIZE 128
uint32_t data[DATASIZE];

```

result = vkGetQueryPoolResults( LogicalDevice, occlusionQueryPool, 0, 1, DATASIZE*sizeof(uint32_t), data, stride, flags );
    // or'd combinations of:
    // VK_QUERY_RESULT_64_BIT
    // VK_QUERY_RESULT_WAIT_BIT
    // VK_QUERY_RESULT_WITH_AVAILABILITY_BIT
    // VK_QUERY_RESULT_PARTIAL_BIT
    // stride is # of bytes in between each result

```

query index number

Oregon State University Computer Graphics

mjb – December 26, 2022

Occlusion Query

Occlusion Queries count the number of fragments drawn between the `vkCmdBeginQuery` and the `vkCmdEndQuery` that pass both the Depth and Stencil tests

This is commonly used to see what level-of-detail should be used when drawing a complicated object

Some hints:

- Don't draw the whole scene – just draw the object(s) you are interested in
- Don't draw the whole object – just draw a simple bounding volume at least as big as the object(s)
- Don't draw the whole bounding volume – cull away the back faces (two reasons: time and correctness)
- Don't draw the colors – just draw the depths (especially if the fragment shader is time-consuming)

```

uint32_t fragmentCount;
result = vkGetQueryPoolResults( LogicalDevice, occlusionQueryPool, 0, 1,
    sizeof(uint32_t), &fragmentCount, 0, VK_QUERY_RESULT_WAIT_BIT );

```

5

Pipeline Statistics Query

Pipeline Statistics Queries count how many of various things get done between the `vkCmdBeginQuery` and the `vkCmdEndQuery`

```

int32_t counts[NUM_STATS];
result = vkGetQueryPoolResults( LogicalDevice, statisticsQueryPool, 0, 1,
    NUM_STATS*sizeof(uint32_t), counts, 0, VK_QUERY_RESULT_WAIT_BIT );

// vkpqi.pipelineStatistics = or'ed bits of:
// VK_QUERY_PIPELINE_STATISTIC_INPUT_ASSEMBLY_PRIMITIVES_BIT
// VK_QUERY_PIPELINE_STATISTIC_INPUT_VERTEX_SHADER_INVOCATIONS_BIT
// VK_QUERY_PIPELINE_STATISTIC_GEOMETRY_SHADER_INVOCATIONS_BIT
// VK_QUERY_PIPELINE_STATISTIC_GEOMETRY_SHADER_PRIMITIVES_BIT
// VK_QUERY_PIPELINE_STATISTIC_CLIPPING_INVOCATIONS_BIT
// VK_QUERY_PIPELINE_STATISTIC_CLIPPING_PRIMITIVES_BIT
// VK_QUERY_PIPELINE_STATISTIC_FRAGMENT_SHADER_INVOCATIONS_BIT
// VK_QUERY_PIPELINE_STATISTIC_TESSELLATION_CONTROL_SHADER_PATCHES_BIT
// VK_QUERY_PIPELINE_STATISTIC_TESSELLATION_EVALUATION_SHADER_INVOCATIONS_BIT
// VK_QUERY_PIPELINE_STATISTIC_COMPUTE_SHADER_INVOCATIONS_BIT

```

Oregon State University Computer Graphics

mjb – December 26, 2022

Timestamp Query

7

Timestamp Queries count how many nanoseconds of time elapsed between the `vkCmdBeginQuery` and the `vkCmdEndQuery`.

```
uint64_t nanosecondsCount;
result = vkGetQueryPoolResults( LogicalDevice, timestampQueryPool, 0, 1,
                               sizeof(uint64_t), &nanosecondsCount, 0,
                               VK_QUERY_RESULT_64_BIT | VK_QUERY_RESULT_WAIT_BIT);
```

 Oregon State University Computer Graphics

mb – December 26, 2022

Timestamp Query

8

The `vkCmdWriteTimeStamp()` function produces the time between when this function is called and when the first thing reaches the specified pipeline stage.

Even though the stages are "bits", you are supposed to only specify one of them, not "or" multiple ones together

```
vkCmdWriteTimeStamp(CommandBuffer, pipelineStages, timestampQueryPool, 0);
```

```
//VK_PIPELINE_STAGE_TOP_OF_PIPE_BIT
//VK_PIPELINE_STAGE_DRAW_INDIRECT_BIT
//VK_PIPELINE_STAGE_VERTEX_INPUT_BIT
//VK_PIPELINE_STAGE_VERTEX_SHADER_BIT
//VK_PIPELINE_STAGE_TESSELLATION_CONTROL_SHADER_BIT
//VK_PIPELINE_STAGE_TESSELLATION_EVALUATION_SHADER_BIT
//VK_PIPELINE_STAGE_GEOMETRY_SHADER_BIT
//VK_PIPELINE_STAGE_FRAGMENT_SHADER_BITVK_PIPELINE_STAGE_EARLY_FRAGMENT_TESTS_BIT
//VK_PIPELINE_STAGE_COMPUTE_SHADER_BIT
//VK_PIPELINE_STAGE_TRANSFER_BIT
//VK_PIPELINE_STAGE_BOTTOM_OF_PIPE_BIT
//VK_PIPELINE_STAGE_HOST_BIT
```

 Oregon State University Computer Graphics

mb – December 26, 2022